

ON THE EXISTENCE OF A STATIONARY MEASURE FOR THE STOCHASTIC SYSTEM FOR THE QUASI-SOLENOIDAL LORENZ MODEL FOR A BAROCLINIC ATMOSPHERE ON A SPHERE

Yuliya Yur'evna Klevtsova, candidate of physical and mathematical sciences, associate professor

Phone: 8 905 937 4205, e-mail: yy_klevtsova@ngs.ru

Federal State Budgetary Institution

«Siberian Regional Hydrometeorological Research Institute», Novosibirsk,

http://www.sibnigmi.ru

We consider the system of equations for the quasi-solenoidal Lorenz model for a baroclinic atmosphere

$$\frac{\partial}{\partial t} A_1 u + \nu A_2 u + A_3 u + B(u) = g, \quad t > 0, \tag{1}$$

on the two-dimensional sphere S centered at the origin of the spherical polar coordinates (λ, φ) , $\lambda \in [0, 2\pi)$, $\varphi \in [-\frac{\pi}{2}, \frac{\pi}{2}]$, $\mu = \sin \varphi$. Here $\nu > 0$ is the kinematic viscosity, $u(t, x, \omega) = (u_1(t, x, \omega), u_2(t, x, \omega))^T$ is an unknown vector function and $g(t, x, \omega) = (g_1(t, x, \omega), g_2(t, x, \omega))^T$ is a given vector function, $x = (\lambda, \mu)$, $\omega \in \Omega$, (Ω, P, F) is a complete probability space,

$$A_1 = \begin{pmatrix} -\Delta & 0 \\ 0 & -\Delta + \gamma I \end{pmatrix}, \quad A_2 = \begin{pmatrix} \Delta^2 & 0 \\ 0 & \Delta^2 \end{pmatrix}, \quad A_3 = \begin{pmatrix} -k\Delta & 2k\Delta \\ k\Delta & -(2k + k_1 + \nu\gamma)\Delta + \rho I \end{pmatrix},$$

$$B(u) = (J(\Delta u_1 + 2\mu, u_1) + J(\Delta u_2, u_2), J(\Delta u_2 - \gamma u_2, u_1) + J(\Delta u_1 + 2\mu, u_2))^T.$$



Ю.Ю. Клевтцова

Also, $\gamma, \rho, k, k_1 \geq 0$ are numerical parameters, I is the identity operator, $J(\psi, \theta) = \psi_\lambda \theta_\mu - \psi_\mu \theta_\lambda$ is the Jacobi operator and $\Delta \psi = ((1 - \mu^2) \psi_\mu)_\mu + (1 - \mu^2)^{-1} \psi_{\lambda\lambda}$ is the Laplace-Beltrami operator on the sphere S . A random vector function $g = f + \eta$ is taken as the right-hand side of (1); here the random external force $f(x, \omega) = (f_1(x, \omega), f_2(x, \omega))^T$ is square summable in ω and the random vector function $\eta(t, x, \omega) = (\eta_1(t, x, \omega), \eta_2(t, x, \omega))^T$ is a white noise in t . In [1] it was obtained for existence of a stationary measure of Markov semigroup which is defined by the solutions of the

Cauchy problem for (1) the sufficient conditions on the right-hand side of (1) and the parameters $\nu, \gamma, \rho, k, k_1$:

$$k < \inf_{i=1,2,\dots,i_*} \zeta(i), \quad \zeta(i) = \frac{2}{(j(i) - \gamma)^2} (6\nu j^3(i) + 4\nu\gamma j^2(i) + \chi(j(i))) + \sqrt{(6\nu j^3(i) + 4\nu\gamma j^2(i) + \chi(j(i)))^2 + (j(i) - \gamma)^2 (4\nu^2 j^4(i) + 2\nu j(i)\chi(j(i)))},$$

$$\chi(y) = (k_1 + \nu\gamma)(y^2 + \gamma y) + \rho(\gamma + y), j(y) = y(y+1), y \geq 0; i_* = \left[\frac{c_*}{2\nu} \left(\sqrt{1 + \frac{c_*}{\nu}} + 1 \right)^{-1} \right] \geq 1, c_* = \begin{cases} \zeta(1), & \text{if } \gamma \neq 2, \\ \zeta(2), & \text{if } \gamma = 2, \end{cases} [r] - \text{the integer part of } r.$$

References

1. Klevtsova Yu.Yu. On the existence of a stationary measure for the stochastic system of the Lorenz model describing a baroclinic atmosphere // Sb. Math., **204**, No. 9. 1307-1331 (2013).

УДК 532.542:536.24

ИССЛЕДОВАНИЕ ТЕПЛООБМЕНА В НАНОЖИДКОСТЯХ В УСЛОВИЯХ ВЫНУЖДЕННОЙ КОНВЕКЦИИ

Софья Владимировна Козлова, аспирант

Тел.: 391 290 5134, e-mail: sonique@icm.krasn.ru

Институт Вычислительного моделирования СО РАН

Илья Игоревич Рыжков, к.ф.-м.н., с.н.с.,

Тел.: 391 290 7528, e-mail: rii@icm.krasn.ru

Институт Вычислительного моделирования СО РАН

http://icm.krasn.ru

В данной работе исследован теплообмен в жидкостях и наножидкостях в цилиндрической трубе. Построено точное решение для температуры однокомпонентной жидкости (вода). Выполнено численное моделирование вынужденной конвекции для воды и наножидкости вода/Al₂O₃, построено распределение температуры в трубе. Исследована эффективность теплообмена в наножидкости вода/Al₂O₃ в зависимости от концентрации наночастиц и скорости течения.

Ключевые слова: теплообмен в жидкостях, наножидкость, задача Греча, самосопряжённый оператор, собственные функции, численное моделирование, вынужденная конвекция.

Исследование выполнено при поддержке КГАУ «Красноярский краевой фонд поддержки научной и научно-технической деятельности», соглашение № 02/13.

В последние десятилетия активно развиваются системы охлаждения и обогрева, основанные на жидких теплоносителях (вода, этиленгликоль, машинное масло, жидкие смеси). В настоящее время активно изучаются новые типы теплоносителей. К ним относятся наножидкости – двухфазные системы, состоящие из базовой жидкости и твёрдых наночастиц [1]. В данной работе представлены результаты численного моделирования вынужденной конвекции для воды и наножидкости вода/Al₂O₃.



С.В. Козлова

Цели исследования – определить распределение температуры в жидкости и оценить эффективность теплообмена. Нами рассмотрено установившееся ламинарное течение жидкости в цилиндрической трубе, конечный участок которой имеет постоянную тем-



И.И. Рыжков